

جدول شماره ۱: اوزان ناتوانی برای بیماری ها و معلولیت های استفاده شده در مطالعه GBD

Sequela	Untreated form					Treated form				
	Age group (years)					Age group (years)				
	۰-۴	۵-۱۴	۱۵-۴۴	۴۵-۵۹	۶۰+	۰-۴	۵-۱۴	۱۵-۴۴	۴۵-۵۹	۶۰+
Tuberculosis										
HIV sero-negative cases	۰,۲۹۴	۰,۲۹۴	۰,۲۶۴	۰,۲۷۴	۰,۲۷۴	۰,۲۹۴	۰,۲۹۴	۰,۲۶۴	۰,۲۷۴	۰,۲۷۴
HIV sero-positive cases	۰,۲۹۴	۰,۲۹۴	۰,۲۶۴	۰,۲۷۴	۰,۲۷۴	۰,۲۹۴	۰,۲۹۴	۰,۲۶۴	۰,۲۷۴	۰,۲۷۴
Syphilis										
Congenital syphilis	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵	۰,۳۱۵
Low birth weight	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰
Primary	۰,۰۱۵	۰,۰۱۵	۰,۰۱۵	۰,۰۱۴	۰,۰۱۴	۰,۰۱۵	۰,۰۱۵	۰,۰۱۵	۰,۰۱۴	۰,۰۱۴
Secondary	۰,۰۴۸	۰,۰۴۸	۰,۰۴۸	۰,۰۴۸	۰,۰۴۴	۰,۰۴۸	۰,۰۴۸	۰,۰۴۸	۰,۰۴۸	۰,۰۴۴
Tertiary --										
Cardiovascular	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶	۰,۱۹۶
Tertiary -- Gummas	۰,۱۰۲	۰,۱۰۲	۰,۱۰۲	۰,۱۰۲	۰,۰۹۴	۰,۱۰۲	۰,۱۰۲	۰,۱۰۲	۰,۱۰۲	۰,۰۹۴
Tertiary -- Neurologic	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳	۰,۲۸۳
Chlamydia										
Ophthalmia neonatorum	۰,۱۸۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۱۸۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰
Low birth weight	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰
Corneal scar --										
Blindness	۰,۶۰۰	۰,۶۰۰	۰,۶۰۰	۰,۶۰۰	۰,۶۰۰	۰,۴۹۳	۰,۴۹۱	۰,۴۸۸	۰,۴۸۸	۰,۴۸۸
Corneal scar -- Low vision	۰,۲۲۳	۰,۲۴۵	۰,۲۴۵	۰,۲۴۵	۰,۲۴۵	۰,۲۲۳	۰,۲۴۵	۰,۲۴۵	۰,۲۴۵	۰,۲۴۵
Cervicitis	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹	۰,۰۴۹
Neonatal pneumonia	۰,۲۸۰	۰,۲۸۰	۰,۲۷۶	۰,۲۷۶	۰,۲۸۰	۰,۲۸۰	۰,۲۸۰	۰,۲۷۶	۰,۲۷۶	۰,۲۸۰
Pelvic inflammatory disease	۰,۴۲۰	۰,۴۲۰	۰,۴۲۰	۰,۴۲۰	۰,۴۲۰	۰,۱۶۹	۰,۱۶۹	۰,۱۶۹	۰,۱۶۹	۰,۱۶۹
Ectopic pregnancy	۰,۰۰۰	۰,۵۴۹	۰,۵۴۹	۰,۵۴۹	۰,۰۰۰	۰,۰۰۰	۰,۵۴۹	۰,۵۴۹	۰,۵۴۹	۰,۰۰۰
Tubo-ovarian abscess	۰,۰۰۰	۰,۵۴۹	۰,۵۴۹	۰,۵۴۹	۰,۰۰۰	۰,۰۰۰	۰,۵۴۹	۰,۵۴۹	۰,۵۴۹	۰,۰۰۰
Chronic pelvic pain	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲	۰,۱۲۲
Infertility	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰	۰,۱۸۰
Symptomatic urethritis	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷	۰,۰۶۷
Epididymitis	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷	۰,۱۶۷
Stricture	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱	۰,۱۵۱
Gonorrhoea										
Ophthalmia neonatorum	۰,۱۸۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۱۸۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰
Low birth weight	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰
Corneal scar --										
Blindness	۰,۶۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۶۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰	۰,۰۰۰

Corneal scar -- Low vision	.,223	.,245	.,245	.,245	.,245	.,223	.,245	.,245	.,245	.,245
Cervicitis	.,049	.,049	.,049	.,049	.,049	.,049	.,049	.,049	.,049	.,049
Pelvic inflammatory disease	.,169	.,169	.,169	.,169	.,169	.,169	.,169	.,169	.,169	.,169
Ectopic pregnancy	.,000	.,549	.,549	.,549	.,000	.,000	.,549	.,549	.,549	.,000
Tubo-ovarian abscess	.,000	.,549	.,549	.,549	.,000	.,000	.,549	.,549	.,549	.,000
Chronic pelvic pain	.,122	.,122	.,122	.,122	.,122	.,122	.,122	.,122	.,122	.,122
Infertility	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180
Symptomatic urethritis	.,067	.,067	.,067	.,067	.,067	.,067	.,067	.,067	.,067	.,067
Epididymitis	.,167	.,167	.,167	.,167	.,167	.,167	.,167	.,167	.,167	.,167
Stricture	.,151	.,151	.,151	.,151	.,151	.,151	.,151	.,151	.,151	.,151
HIV										
Cases	.,123	.,123	.,136	.,136	.,136	.,123	.,123	.,136	.,136	.,136
AIDS	.,505	.,505	.,505	.,505	.,505	.,505	.,505	.,505	.,505	.,505
Diarrhoeal diseases -- Episodes	.,119	.,094	.,086	.,086	.,088	.,119	.,094	.,086	.,086	.,088
Pertussis										
Episodes	.,178	.,166	.,156	.,156	.,156	.,000	.,000	.,000	.,000	.,000
Mental retardation	.,469	.,483	.,483	.,486	.,485	.,394	.,420	.,451	.,466	.,468
Poliomyelitis -- Lameness	.,369	.,369	.,369	.,369	.,369	.,369	.,369	.,369	.,369	.,369
Diphtheria										
Episodes	.,231	.,230	.,230	.,230	.,230	.,231	.,230	.,230	.,230	.,230
Neurological complications	.,078	.,078	.,078	.,078	.,078	.,078	.,078	.,078	.,078	.,078
Myocarditis	.,323	.,323	.,323	.,323	.,323	.,323	.,323	.,323	.,323	.,323
Measles -- Episodes	.,152	.,152	.,152	.,152	.,152	.,152	.,152	.,152	.,152	.,152
Tetanus -- Episodes	.,640	.,640	.,610	.,604	.,612	.,640	.,640	.,610	.,604	.,612
Bacterial meningitis, meningococcaemia										
Streptococcus pneumoniae -- Episodes	.,616	.,616	.,613	.,613	.,613	.,616	.,616	.,613	.,613	.,613
Haemophilus influenzae -- Episodes	.,616	.,616	.,613	.,613	.,613	.,616	.,616	.,613	.,613	.,613
Neisseria meningitidis - Episodes	.,616	.,616	.,613	.,613	.,613	.,616	.,616	.,613	.,613	.,613

Vitamin A deficiency										
Xerophthalmia	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000
Corneal scar	.,274	.,282	.,282	.,282	.,282	.,274	.,282	.,282	.,282	.,282
Iron-deficiency anaemia										
Mild	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000	.,000
Moderate	.,011	.,011	.,011	.,012	.,012	.,011	.,011	.,011	.,012	.,012
Severe	.,087	.,087	.,093	.,090	.,087	.,087	.,087	.,093	.,090	.,087
Very severe	.,241	.,244	.,255	.,252	.,252	.,241	.,244	.,255	.,252	.,252
Cognitive impairment	.,024	.,024	.,024	.,024	.,024	.,024	.,024	.,024	.,024	.,024
Cancers -- Preterminal										
Mouth and oropharynx	.,145	.,145	.,145	.,145	.,145	.,090	.,090	.,090	.,090	.,090
Oesophagus	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217
Stomach	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217
Colon and rectum	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217	.,217
Liver	.,239	.,239	.,239	.,239	.,239	.,239	.,239	.,239	.,239	.,239
Pancreas	.,301	.,301	.,301	.,301	.,301	.,237	.,237	.,237	.,237	.,237
Trachea, bronchus and lung	.,146	.,146	.,146	.,146	.,146	.,146	.,146	.,146	.,146	.,146
Melanoma and other skin	.,045	.,045	.,045	.,045	.,045	.,045	.,045	.,045	.,045	.,045
Breast	.,069	.,069	.,069	.,069	.,069	.,086	.,086	.,086	.,086	.,086
Cervix uteri	.,066	.,066	.,066	.,066	.,066	.,075	.,075	.,075	.,075	.,075
Corpus uteri	.,066	.,066	.,066	.,066	.,066	.,099	.,104	.,104	.,096	.,079
Ovary	.,081	.,081	.,081	.,081	.,081	.,097	.,097	.,097	.,084	.,059
Prostate	.,113	.,113	.,113	.,113	.,113	.,134	.,134	.,134	.,134	.,134
Bladder	.,085	.,085	.,085	.,085	.,085	.,087	.,087	.,087	.,087	.,085
Lymphomas and multiple myeloma	.,089	.,089	.,089	.,089	.,089	.,057	.,057	.,057	.,057	.,057
Leukaemia	.,098	.,098	.,108	.,112	.,112	.,083	.,083	.,093	.,097	.,097
Cancers -- Terminal	.,809	.,809	.,809	.,809	.,809	.,809	.,809	.,809	.,809	.,809
Diabetes mellitus										
Cases	.,012	.,012	.,012	.,012	.,012	.,033	.,033	.,033	.,033	.,033
Diabetic foot	.,137	.,137	.,137	.,137	.,137	.,129	.,129	.,129	.,129	.,129
Neuropathy	.,078	.,078	.,078	.,078	.,078	.,064	.,064	.,064	.,064	.,064
Retinopathy -- Blindness	.,600	.,600	.,600	.,600	.,600	.,493	.,491	.,488	.,488	.,488
Amputation	.,155	.,155	.,155	.,155	.,155	.,068	.,068	.,068	.,068	.,068
Unipolar major depression -- episodes										
	.,600	.,600	.,600	.,600	.,600	.,302	.,302	.,302	.,302	.,302
Bipolar disorder -- Cases										
	.,583	.,583	.,583	.,583	.,583	.,383	.,383	.,383	.,383	.,383
Schizophrenia -- Cases										
	.,627	.,627	.,627	.,645	.,667	.,351	.,351	.,351	.,351	.,351

Epilepsy -- Cases	.,099	.,150	.,150	.,150	.,150	.,041	.,065	.,065	.,065	.,065
Alcohol use --	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180
Alcohol dependence syndrome	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180	.,180
Dementia -- Cases	.,627	.,627	.,627	.,645	.,667	.,627	.,627	.,627	.,645	.,667
Parkinson disease -- Cases	.,392	.,392	.,392	.,392	.,406	.,316	.,316	.,316	.,316	.,332
Multiple sclerosis -- Cases	.,410	.,410	.,410	.,420	.,437	.,410	.,410	.,410	.,420	.,437
Drug use --										
Dysfunctional and harmful drug use	.,252	.,252	.,250	.,250	.,250	.,252	.,252	.,250	.,250	.,250
Post-traumatic stress disorder -- Cases	.,105	.,105	.,108	.,108	.,108	.,105	.,105	.,108	.,108	.,108
Obsessive-compulsive disorders --										
Cases	.,129	.,129	.,129	.,129	.,129	.,080	.,080	.,080	.,080	.,080
Panic disorder -- Cases	.,173	.,173	.,173	.,173	.,173	.,091	.,091	.,091	.,091	.,091
Glaucoma -- Blindness	.,600	.,600	.,600	.,600	.,600	.,600	.,600	.,600	.,600	.,600
Cataracts -- Blindness	.,600	.,600	.,600	.,600	.,600	.,493	.,491	.,488	.,488	.,488
Rheumatic heart disease --										
Congestive heart failure	.,323	.,323	.,323	.,323	.,323	.,171	.,171	.,171	.,171	.,171
Ischaemic heart disease										
Acute myocardial infarction	.,491	.,491	.,491	.,491	.,491	.,395	.,395	.,395	.,395	.,395
Angina pectoris	.,227	.,227	.,227	.,227	.,227	.,095	.,095	.,095	.,095	.,095
Congestive heart failure	.,323	.,323	.,323	.,323	.,323	.,171	.,171	.,171	.,171	.,171
Cerebrovascular disease --										
First-ever stroke	.,262	.,262	.,262	.,268	.,301	.,224	.,224	.,224	.,224	.,258

Inflammatory heart diseases										
Myocarditis	.,३२३	.,३२३	.,३२३	.,३२३	.,३२३	.,१११	.,१११	.,१११	.,१११	.,१११
Pericarditis	.,३२३	.,३२३	.,३२३	.,३२३	.,३२३	.,१११	.,१११	.,१११	.,१११	.,१११
Endocarditis	.,३२३	.,३२३	.,३२३	.,३२३	.,३२३	.,१११	.,१११	.,१११	.,१११	.,१११
Cardiomyopathy	.,३२३	.,३२३	.,३२३	.,३२३	.,३२३	.,१११	.,१११	.,१११	.,१११	.,१११
COPD -- Symptomatic cases										
	.,४२८	.,४२८	.,४२८	.,४२८	.,४२८	.,३८८	.,३८८	.,३८८	.,३८८	.,३८८
Asthma-- Cases										
	.,०११	.,०११	.,०११	.,०११	.,०११	.,००१	.,००१	.,००१	.,००१	.,००१
Peptic ulcer -- Cases										
	.,११०	.,११०	.,११०	.,११०	.,११०	.,००३	.,००३	.,००३	.,००३	.,००३
Cirrhosis of the liver -- Symptomatic cases										
	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०	.,३३०
Appendicitis -- Episodes										
	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३	.,४६३
Nephritis and nephrosis										
Acute glomerulonephritis	.,०८२	.,०८२	.,१०४	.,१०४	.,१०४	.,१०१	.,१०१	.,१०१	.,०१६	.,०१६
End-stage renal disease	.,०८२	.,०८२	.,१०४	.,१०४	.,१०४	.,१०१	.,१०१	.,१०१	.,०१६	.,०१६
Benign prostatic hypertrophy -- Symptomatic cases										
	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८	.,०३८
Rheumatoid arthritis - - Cases										
	.,२३३	.,२३३	.,२३३	.,२३३	.,२३३	.,११४	.,११४	.,११४	.,११४	.,११४
Osteoarthritis										
Hip	.,१०६	.,१०६	.,१०६	.,१०६	.,१०६	.,१०८	.,१०८	.,१०८	.,१०८	.,१०८
Knee	.,१०६	.,१०६	.,१०६	.,१०६	.,१०६	.,१०८	.,१०८	.,१०८	.,१०८	.,१०८
Congenital anomalies										
Abdominal wall defect - - Cases	.,८००	.,०००	.,०००	.,०००	.,०००	.,८००	.,०००	.,०००	.,०००	.,०००
Anencephaly -- Cases	.,८००	.,०००	.,०००	.,०००	.,०००	.,८००	.,०००	.,०००	.,०००	.,०००
Anorectal atresia -- Cases	.,८००	.,०००	.,०००	.,०००	.,०००	.,८००	.,०००	.,०००	.,०००	.,०००
Cleft lip -- Cases	.,०१८	.,०००	.,०००	.,०००	.,०००	.,०१६	.,०००	.,०००	.,०००	.,०००
Cleft palate -- Cases	.,२३१	.,०००	.,०००	.,०००	.,०००	.,०१०	.,०००	.,०००	.,०००	.,०००
Oesophageal atresia -- Cases	.,८००	.,०००	.,०००	.,०००	.,०००	.,८००	.,०००	.,०००	.,०००	.,०००

Intracranial injury										
Short term	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359
Long term	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359	0,359
Internal injuries	0,000	0,000	0,000	0,000	0,000	0,208	0,208	0,208	0,208	0,208
Open wound	0,108	0,108	0,108	0,108	0,108	0,108	0,108	0,108	0,108	0,108
Injury to eyes	0,354	0,354	0,354	0,354	0,354	0,301	0,300	0,299	0,299	0,299
Amputations										
Thumb	0,165	0,165	0,165	0,165	0,165	0,165	0,165	0,165	0,165	0,165
Finger	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102
Arm	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102	0,102
Toe	0,078	0,078	0,078	0,078	0,078	0,064	0,064	0,064	0,064	0,064
Foot	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300
Leg	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300	0,300
Crushing	0,218	0,218	0,218	0,218	0,218	0,218	0,218	0,218	0,218	0,218
Burns										
<20% -- Short term	0,186	0,186	0,186	0,186	0,186	0,158	0,158	0,158	0,158	0,158
<20% -- Long term	0,041	0,041	0,041	0,041	0,041	0,011	0,011	0,011	0,011	0,011
>20% and <60% -- Short term	0,469	0,469	0,469	0,469	0,469	0,441	0,441	0,441	0,441	0,441
>20% and <60% -- Long term	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255
>60% -- Short term	0,469	0,469	0,469	0,469	0,469	0,441	0,441	0,441	0,441	0,441
>60% -- Long term	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255	0,255
Injured nerves	0,078	0,078	0,078	0,078	0,078	0,064	0,064	0,064	0,064	0,064

جدول شماره ۲: اوزان ناتوانی به کار رفته در مطالعه Dutch

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch		
Disease category, subcategory, or sequelae	Disability weight	Comments
Communicable diseases, maternal and neonatal conditions		
A. Infectious & parasitic diseases		
۱. Tuberculosis		
Pulmonary tuberculosis	۰,۲۹۵	GBD weight
Extra-pulmonary tuberculosis	۰,۳۰۰	GBD weight
۲. Sexually transmitted diseases (not HIV/AIDS)		
a. Syphilis		
Primary syphilis	۰,۱۴۸	GBD weight
Secondary syphilis	۰,۰۴۸	GBD weight
Tertiary syphilis (cardiovascular)	۰,۱۹۶	GBD weight
Tertiary syphilis (gummas)	۰,۱۰۲	GBD weight
Tertiary syphilis (neurologic)	۰,۲۸۳	GBD weight
Syphilis (congenital)	۰,۳۱۵	GBD weight
b. Chlamydia		
Conjunctivitis	۰,۱۸۰	GBD weight
Urethritis	۰,۰۶۷	GBD weight
Cervicitis	۰,۰۴۹	GBD weight
Pelvic inflammatory disease	۰,۴۲۰	GBD weight
Ectopic pregnancy	۰,۵۴۹	GBD weight
Chronic pelvic pain	۰,۱۲۲	GBD weight
Infertility	۰,۱۸۰	GBD weight
Tubo-ovarian abscess	۰,۵۴۹	GBD weight
c. Gonorrhoea		
Urethritis	۰,۰۶۷	GBD weight
Cervicitis	۰,۰۴۹	GBD weight
Pelvic inflammatory disease	۰,۴۲۰	GBD weight
Ectopic pregnancy	۰,۵۴۹	GBD weight
Chronic pelvic pain	۰,۱۲۲	GBD weight
Infertility	۰,۱۸۰	GBD weight
Tubo-ovarian abscess	۰,۵۴۹	GBD weight
d. Other sexually transmitted disease		
Pelvic inflammatory disease	۰,۴۲۰	GBD weight
Ectopic pregnancy	۰,۵۴۹	GBD weight
Chronic pelvic pain	۰,۱۲۲	GBD weight
Infertility	۰,۱۸۰	GBD weight
Tubo-ovarian abscess	۰,۵۴۹	GBD weight
۳. HIV/AIDS		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Diagnosed asymptomatic HIV	۰,۲۰۰	Dutch weight
Symptomatic HIV	۰,۳۱۰	Dutch weight
AIDS	۰,۵۶۰	Dutch weight
AIDS—terminal phase	۰,۹۵۰	Dutch weight
۴. Diarrhoeal diseases and gastroenteritis		
Uncomplicated episode	۰,۰۹۳	GBD age-specific weights. Average shown here
Complicated episode	۰,۴۲۰	Dutch weight for complicated episode (۵۰٪) plus GBD weight for uncomplicated episode (۵۰٪)
۵. Childhood immunisable diseases		
a. Diphtheria		
Cases	۰,۲۳۰	GBD weight
Neurological complications	۰,۰۷۸	GBD weight
Myocarditis	۰,۳۲۳	GBD weight
b. Whooping cough		
Pertussis episode	۰,۱۷۸	GBD weight
Mental retardation (treated)	۰,۴۲۰	GBD weight (۰,۳۹۴ ۰-۴ years, ۰,۴۲۰ ۵-۱۴ years)
Mental retardation (untreated)	۰,۴۸۳	GBD weight (۰,۴۶۹ ۰-۴ years, ۰,۴۸۳ ۵-۱۴ years)
c. Tetanus		
Cases	۰,۶۱۲	GBD weight
d. Poliomyelitis		
Poliomyelitis	۰,۳۶۹	GBD weight
e. Measles		
Episodes	۰,۱۵۲	GBD weight
Measles encephalitis	۰,۳۳۸	GBD weight for neurological sequelae of encephalitis
Sub-acute sclerosing panencephalitis	۰,۹۳۰	Dutch weight for end-stage disease
f. Rubella		
Episodes	۰,۱۵۲	GBD weight for measles episode
Congenital cataract	۰,۴۳۰	Dutch weight for severe vision loss
Congenital heart disease	۰,۳۵۰	Dutch weight for heart failure
Congenital deafness	۰,۲۳۰	Dutch weight
g. Haemophilus influenzae type b (Hib)		
Epiglottitis	۰,۱۵۲	GBD weight for haemophilus influenzae episode
Meningitis	۰,۴۳۰	Average of weights for meningitis manifestations
Septicaemia	۰,۳۵۰	GBD weight
Pneumonia	۰,۲۳۰	Estimated using EQ ⁵ D + regression model

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
۶. Meningitis		
Acute episode	۰,۹۱۳	Estimated using EQ-۵D+ regression model
After effects up to ۶ months	۰,۲۲۶	Estimated using EQ-۵D+ regression model
VP shunt	۰,۱۷۰	Dutch weight for motor deficit
Hearing loss	۰,۲۳۴	Average of Dutch weights for mild, moderate, and severe loss
Seizure disorder	۰,۱۱۰	Dutch weight
Less severe developmental problems	۰,۱۰۰	Average of Dutch weights for developmental problems
Mental retardation	۰,۲۵۰	Dutch weight
Motor deficit + mental retardation	۰,۷۶۰	Dutch weight
Less severe developmental problems	۰,۱۰۰	Based on Dutch weights for developmental problems
Scarring/deformity	۰,۱۳۳	Based on GBD amputation weights
۷. Septicaemia		
Cases	۰,۶۱۳	GBD age-specific weights (average shown here)
۸. Arbovirus infection (incl. Ross River fever)		
a. Ross River virus Infection		
Acute phase	۰,۲۵۸	Dutch weight for moderate rheumatoid arthritis
Chronic phase	۰,۱۴۰	Dutch weight for mild rheumatoid arthritis
b. Barmah Forest virus		
Acute phase	۰,۲۵۸	Dutch weight for moderate rheumatoid arthritis
Chronic phase	۰,۱۴۰	Dutch weight for mild rheumatoid arthritis
c. Other arbovirus infection		
Australian encephalitis	۰,۶۱۳	GBD weight for Japanese encephalitis
Japanese encephalitis	۰,۶۱۳	GBD weight
Kunjun	۰,۶۱۳	GBD weight for Japanese encephalitis
Cognitive impairment	۰,۴۵۱	GBD weight
Neurological sequelae	۰,۳۳۴	GBD weight
d. Dengue fever		
Dengue haemorrhagic fever	۰,۱۷۲	GBD age-specific weights (average shown here)
۹. Hepatitis		
a. Hepatitis A		
Uncomplicated episode	۰,۰۹۳	GBD age-specific weights. Average shown here

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Complicated episode	۰,۴۲۰	Dutch weight for complicated episode (۵۰٪) plus GBD weight for uncomplicated episode (۵۰٪)
Prolonged or relapsing episode	۰,۱۴۰	Dutch weight for mild depression.
b. Hepatitis B		
Cases	۰,۰۰۰	Asymptomatic cases only
Acute symptomatic episode	۰,۲۱۰	Dutch weight
Chronic symptomatic carrier	۰,۳۶۰	Dutch weight
Compensated liver cirrhosis	۰,۳۱۰	Dutch weight
Decompensated liver cirrhosis	۰,۸۴۰	Dutch weight
Hepato-cellular cancer	—	See sequelae and weights for F۵. Liver cancer
c. Hepatitis C		
Cases	۰,۰۰۰	Asymptomatic cases only
Acute symptomatic episode	۰,۲۱۰	Dutch weight for Hepatitis B
Chronic symptomatic carrier	۰,۳۶۰	Dutch weight for Hepatitis B
Compensated liver cirrhosis	۰,۳۱۰	Dutch weight
Decompensated liver cirrhosis	۰,۸۴۰	Dutch weight
Hepato-cellular cancer	—	See sequelae and weights for F۵. Liver cancer
۱۰. Malaria		
Episodes	۰,۱۷۵	GBD age-specific weights (average shown here)
Neurological sequelae (treated)	۰,۴۳۶	GBD weight for ۰-۴ years.
Anaemia	۰,۰۱۲	GBD age-specific weights (average shown here)
۱۱. Trachoma		
Moderate vision loss	۰,۱۷۰	Dutch weight
Severe vision loss	۰,۴۳۰	Dutch weight
B. Acute respiratory infections		
۱. Lower respiratory tract infections		
Influenza episode	۰,۰۴۷	Estimated using EQ-۵D + regression model
Acute bronchitis episode	۰,۱۳۲	Estimated using EQ-۵D + regression model
Pneumonia episode	۰,۳۷۳	Estimated using EQ-۵D + regression model
۲. Upper respiratory tract infections		
Acute nasopharyngitis	۰,۰۱۴	Estimated using EQ-۵D + regression model
Acute sinusitis	۰,۰۶۱	Estimated using EQ-۵D + regression model
Pharyngitis/tonsillitis	۰,۰۶۱	Estimated using EQ-۵D + regression model
۳. Otitis media		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Acute episodes	۰,۰۹۰	Dutch weight for ۱ day severe pain plus ۴ days moderate pain
Chronic otitis media	۰,۱۱۰	Dutch weight for early acquired mild to moderate hearing loss
Deafness	۰,۲۳۳	Dutch weight for early acquired severe hearing loss
C. Maternal conditions		
۱. Maternal haemorrhage		
Cases	۰,۰۱۱	GBD weight for moderate anaemia
Severe anaemia	۰,۰۹۳	GBD weight
۲. Maternal septis		
Episodes	۰,۰۰۰	GBD weight
Infertility	۰,۱۸۰	GBD weight
۳. Hypertension in pregnancy		
Episodes	۰,۱۱۷	Estimated using EQ-۵D+ regression model
Neurological sequelae	۰,۳۸۸	GBD weight
۴. Obstructed labour		
Episodes	۰,۳۴۹	Estimated using EQ-۵D+ regression model
۵. Abortion		
Episodes spontaneous abortion	۰,۰۰۰	GBD weight
Episodes induced abortion	۰,۰۰۰	GBD weight
Infertility	۰,۱۸۰	GBD weight
D. Neonatal causes		
۱. Birth trauma & asphyxia		
Deafness	۰,۲۳۰	Dutch weight
Seizure	۰,۱۱۰	Dutch weight
Cerebral palsy without intellectual disability	۰,۱۷۰	Dutch weight
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight
Profound intellectual disability	۰,۷۶۰	Dutch weight
۲. Low birth weight		
Mild permanent disability	۰,۱۱۰	Dutch weight for mild to moderate early acquired hearing loss
Severe hearing loss	۰,۳۷۰	Dutch weight
Vision loss	۰,۱۷۰	Dutch weight for moderate vision loss
Epilepsy	۰,۱۱۰	Dutch weight
Cerebral palsy without intellectual disability	۰,۱۷۰	Dutch weight
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Profound intellectual disability	۰,۷۶۰	Dutch weight
۳. Neonatal infections		
Acute neonatal episode	۰,۸۹۴	Dutch weight for acute meningitis episode
Deafness	۰,۳۷۰	Dutch weight
Motor deficit	۰,۱۷۰	Dutch weight
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight
Profound intellectual disability	۰,۷۶۰	Dutch weight
۴. Other neonatal causes		
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight
Profound intellectual disability	۰,۷۶۰	Dutch weight
Cerebral palsy without intellectual disability	۰,۱۷۰	Dutch weight for motor deficit
E. Nutritional deficiencies		
۱. Protein-energy malnutrition		
Stunting	۰,۰۰۲	GBD Weight
Wasting	۰,۰۵۳	GBD Weight
Developmental disability	۰,۰۲۴	GBD Weight
۲. Iron-deficiency anaemia		
Non-anaemic iron deficiency	۰,۰۰۵	Estimated using EQ-5D+ regression model
Mild anaemia	۰,۰۰۵	GBD weight
Moderate anaemia	۰,۰۱۱	GBD weight
Severe anaemia	۰,۰۹۰	GBD weight
Very severe anaemia	۰,۲۵۰	GBD weight
Cognitive impairment	۰,۰۲۴	GBD weight
۳. Other nutritional deficiencies		
Iodine deficiency goitre	۰,۰۲۶	GBD weight for Grade ۲ Goitre
F. Malignant neoplasms		
۱. Mouth and oropharynx cancers		
Diagnosis and primary therapy	۰,۵۶۰	Dutch weight for oesophageal cancer
State after intentionally curative primary therapy	۰,۳۷	Dutch weight for oesophageal cancer
In remission	۰,۳۷۰	Dutch weight for oesophageal cancer
Disseminated cancer	۰,۹۰۰	Dutch weight for oesophageal cancer
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲. Oesophagus cancer		
Diagnosis and primary therapy	۰,۵۶۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
State after intentionally curative primary therapy	۰,۳۷	Dutch weight
Irradically removed or disseminated carcinoma	۰,۹۰۰	Dutch weight
Preterminal and terminal stages	۰,۹۳۰	Dutch weight for end-stage disease
۳. Stomach cancer		
Diagnosis and primary therapy	۰,۵۳۰	Dutch weight
State after intentionally curative primary therapy	۰,۳۸	Dutch weight
Irradically removed or disseminated carcinoma	۰,۷۳۰	Dutch weight
Preterminal and terminal stages	۰,۹۳۰	Dutch weight for end-stage disease
۴. Colorectal cancer		
Diagnosis and primary therapy	۰,۴۳۰	Dutch weight
State after intentionally curative primary therapy	۰,۲۰	Dutch weight
In remission	۰,۴۳۰	Dutch weight
Irradically removed or disseminated carcinoma	۰,۸۳۰	Dutch weight
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۵. Liver cancer		
Diagnosis and initial treatment	۰,۴۳۰	Dutch weight for colorectal cancer
State after intionally curative primary therapy	۰,۲۰۰	Dutch weight for colorectal cancer
Clinically disease free	۰,۲۰۰	Dutch weight for colorectal cancer
Irradically removed/disseminated/preterminal	۰,۸۳۰	Dutch weight for colorectal cancer
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
۶. Gall bladder cancer		
Diagnosis and initial treatment	۰,۴۳۰	Dutch weight for colorectal cancer
State after intionally curative primary therapy	۰,۲۰۰	Dutch weight for colorectal cancer
Clinically disease free	۰,۲۰۰	Dutch weight for colorectal cancer
Irradically removed/disseminated/preterminal	۰,۸۳۰	Dutch weight for colorectal cancer
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
۷. Pancreas cancer		
Diagnosis and initial treatment	۰,۴۳۰	Dutch weight for colorectal cancer
State after intionally curative primary therapy	۰,۲۰۰	Dutch weight for colorectal cancer
Disseminated	۰,۸۳۰	Dutch weight for colorectal cancer
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
۸. Lung cancer		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Diagnosis and primary therapy for operable non-small cell cancer	۰,۴۴۰	Dutch weight
Disease free after primary therapy for non small cell cancer	۰,۴۷۰	Dutch weight
Diagnosis and primary therapy for non operable non-small cell cancer	۰,۷۶۰	Dutch weight
Disseminated non-small cancer	۰,۹۱۰	Dutch weight
Terminal stage non small cell cancer	۰,۹۳۰	Dutch weight for end-stage disease
Diagnosis and chemotherapy small cell cancer	۰,۶۸۰	Dutch weight
Disease free after primary therapy for small cell cancer	۰,۴۷۰	Dutch weight
Small cell cancer in remission	۰,۵۴۰	Dutch weight
Relapse/terminal stage small cell cancer	۰,۹۳۰	Dutch weight for end-stage disease
۹. Bone and connective tissue cancers		
Diagnosis and primary therapy	۰,۳۵۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۳۰	Provisional weight based on Dutch weights
In remission	۰,۳۰۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۰. Melanoma		
Primary treatment, no evidence dissemination	۰,۱۹۰	Dutch weight
No evidence of dissemination after initial treatment	۰,۱۹۰	Dutch weight
Primary treatment, lymph node but no distant dissemination	۰,۴۳۰	Dutch weight
In remission	۰,۱۹۰	Dutch weight
Disseminated melanoma	۰,۸۱۰	Dutch weight
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
۱۱. Non-melanoma skin cancers		
Basal cell carcinoma	۰,۰۵۰	Dutch weight
Squamous cell carcinoma undisseminated	۰,۰۷۰	Dutch weight
Squamous cell carcinoma with dissemination	۰,۴۰۰	Dutch weight
Squamous cell carcinoma–local recurrence	۰,۵۰۰	Dutch weight
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
۱۲. Breast cancer		
Diagnostic, primary therapy, non-invasive tumour <۲ cm	۰,۲۶۰	Dutch weight
Diagnostic, primary therapy, tumour ۲-۵ cm or lymph node dissemination	۰,۶۹۰	Dutch weight
Diagnostic, primary therapy, tumour >۵ cm	۰,۸۱۰	Dutch weight
Disease free after initial treatment	۰,۲۶۰	Dutch weight
In remission	۰,۲۶۰	Dutch weight
Disseminated cancer	۰,۷۹۰	Dutch weight
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
۱۳. Cervix cancer		
Diagnosis and primary therapy	۰,۴۳۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۲۰	Provisional weight based on Dutch weights
In remission	۰,۲۰۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۴. Uterus cancer		
Diagnosis and primary therapy	۰,۴۳۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۲۰	Provisional weight based on Dutch weights
In remission	۰,۲۰۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۵. Ovary cancer		
Diagnosis and primary therapy	۰,۴۳۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۲۰	Provisional weight based on Dutch weights
In remission	۰,۲۰۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۶. Prostate cancer		
Diagnostic, primary therapy, localised cancer	۰,۲۷۰	Dutch weight
Follow-up without active therapy (watchful waiting)	۰,۲۷۰	Dutch weight
In remission	۰,۲۰۰	Dutch weight
Clinically disease-free after primary therapy	۰,۱۸۰	Dutch weight
Hormone refractory cancer	۰,۶۴۰	Dutch weight
Terminal stage	۰,۹۳۰	Dutch weight end-stage disease

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
۱۷. Testicular cancer		
Diagnosis and primary therapy	۰,۲۷۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۸	Provisional weight based on Dutch weights
In remission	۰,۱۸۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۶۴۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۸. Bladder cancer		
Diagnosis and primary therapy	۰,۲۷۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۸	Provisional weight based on Dutch weights
In remission	۰,۱۸۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۶۴۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱۹. Kidney cancer		
Diagnosis and primary therapy	۰,۲۷۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۸	Provisional weight based on Dutch weights
In remission	۰,۱۸۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۶۴۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۰. Brain cancer		
Diagnosis and primary therapy	۰,۶۸۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۸	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۱. Thyroid cancer		
Diagnosis and primary therapy	۰,۲۷۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۸	Provisional weight based on Dutch weights
In remission	۰,۱۸۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۶۴۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
Low grade, dissemination stage I and II	۰,۱۹۰	Dutch weight
Low grade, dissemination stage III and IV	۰,۶۱۰	Dutch weight
Intermediate/high grade, dissemination stage I	۰,۵۵۰	Dutch weight
Intermediate/high grade, dissemination stage II, III or IV	۰,۷۵۰	Dutch weight
Temporary remission after treatment	۰,۱۹۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Preterminal phase	۰,۷۵۰	Dutch weight
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
Complete remission	۰,۱۹۰	Dutch weight
۲۲b. Hodgkin's disease		
Low grade, dissemination stage I and II	۰,۱۹۰	Dutch weight
Low grade, dissemination stage III and IV	۰,۶۱۰	Dutch weight
Intermediate/high grade, dissemination stage I	۰,۵۵۰	Dutch weight
Intermediate/high grade, dissemination stage II, III or IV	۰,۷۵۰	Dutch weight
Temporary remission after treatment	۰,۱۹۰	Dutch weight
Preterminal phase	۰,۷۵۰	Dutch weight
Terminal phase	۰,۹۳۰	Dutch weight for end-stage disease
Complete remission	۰,۱۹۰	Dutch weight
۲۳. Multiple myeloma		
Diagnosis and primary therapy	۰,۱۹۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy ۰,۱۹۰		Provisional weight based on Dutch weights
In remission	۰,۱۹۰	Provisional weight based on Dutch weights
Disseminated carcinoma	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۴a. Acute myeloid leukemia		
Diagnosis and primary therapy	۰,۵۵۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۹	Provisional weight based on Dutch weights
Preterminal stage	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۴b. Chronic myeloid leukemia		
Diagnosis and primary therapy	۰,۵۵۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۹	Provisional weight based on Dutch weights
In remission	۰,۱۹۰	Provisional weight based on Dutch weights
Preterminal stage	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۴c. Acute lymphoid leukemia	۰,۱۹	
Diagnosis and primary therapy	۰,۵۵۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۹	Provisional weight based on Dutch weights
In remission	۰,۱۹۰	Provisional weight based on Dutch weights
Preterminal stage	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۲۴d. Chronic lymphoid leukemia	۰,۱۹	

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Diagnosis and primary therapy	۰,۵۵۰	Provisional weight based on Dutch weights
State after intentionally curative primary therapy	۰,۱۹	Provisional weight based on Dutch weights
In remission	۰,۱۹۰	Provisional weight based on Dutch weights
Preterminal stage	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
۱. Uterine myomas		
Symptomatic cases	۰,۰۶۶	Estimated using EQ-۵D+ regression model
Hysterectomy or myomectomy	۰,۳۴۹	Estimated using EQ-۵D+ regression model
Reproductive disability	۰,۱۸۰	GBD weight for infertility
۲. Benign brain tumour		
Diagnosis and primary therapy	۰,۶۸۰	Provisional weight based on Dutch weights
State after intentionally curative primary	۰,۱۸۰	Provisional weight based on Dutch weights
Pre-terminal stage	۰,۷۵۰	Provisional weight based on Dutch weights
Terminal stage	۰,۹۳۰	Dutch weight for end-stage disease
H. Diabetes mellitus		
۱. Type ۱ diabetes		
Cases	۰,۰۷۰	Dutch weight
Retinopathy—moderate vision loss	۰,۱۷۰	Dutch weight
Retinopathy—severe vision loss	۰,۴۳۰	Dutch weight
Cataract—mild vision loss	۰,۰۲۰	Dutch weight
Cataract—moderate vision loss	۰,۱۷۰	Dutch weight
Cataract—severe vision loss	۰,۴۳۰	Dutch weight
Glaucoma—mild vision loss	۰,۰۲۰	Dutch weight
Glaucoma—moderate vision loss	۰,۱۷۰	Dutch weight
Glaucoma—severe vision loss	۰,۴۳۰	Dutch weight
Neuropathy	۰,۱۹۰	Dutch weight
Nephropathy	۰,۲۹۰	Dutch weight
Diabetic foot	۰,۲۲۰	GBD weight
Amputation—toe	۰,۰۶۴	GBD weight
Amputation—foot or leg	۰,۳۰۰	GBD weight
۲. Type ۲ diabetes		
Cases	۰,۰۷۰	Dutch weight
Retinopathy—moderate vision loss	۰,۱۷۰	Dutch weight
Retinopathy—severe vision loss	۰,۴۳۰	Dutch weight
Cataract—mild vision loss	۰,۰۲۰	Dutch weight
Cataract—moderate vision loss	۰,۱۷۰	Dutch weight
Cataract—severe vision loss	۰,۴۳۰	Dutch weight
Glaucoma—mild vision loss	۰,۰۲۰	Dutch weight
Glaucoma—moderate vision loss	۰,۱۷۰	Dutch weight
Glaucoma—severe vision loss	۰,۴۳۰	Dutch weight
Neuropathy	۰,۱۹۰	Dutch weight
Nephropathy	۰,۲۹۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Diabetic foot	۰,۲۲۰	GBD weight
Amputation—toe	۰,۰۶۴	GBD weight
Amputation—foot or leg	۰,۳۰۰	GBD weight
I. Endocrine and metabolic disorders		
۱. Non-deficiency anaemia		
a. Thalassaemia		
Very severe anaemia	۰,۲۵۰	GBD weight
b. Other non-deficiency anaemia		
Genetically inherited anaemias	۰,۰۹۰	GBD weight
Severe anaemia	۰,۰۹۰	GBD weight
Very severe anaemia	۰,۲۵۰	GBD weight
۲. Cystic fibrosis		
Cases	۰,۵۳۰	
۳. Haemophilia		
Severe cases	۰,۲۷۰	Weight based on QALY measurements
Moderate cases	۰,۰۵۰	Weight based on QALY measurements
J. Mental disorders		
۱. Substance use disorders		
a. Alcohol dependence and harmful use		
Harmful use	۰,۱۱۰	Dutch weight for problem drinking
Moderate dependence	۰,۳۳۰	Average of Dutch weights for problem drinking and manifest alcoholism
Manifest alcoholism	۰,۵۵۰	Dutch weight
b. Heroin or polydrug dependence and harmful use		
Cases	۰,۲۷۰	Locally derived weight, slightly higher than GBD weight ۰,۲۵۲
c. Benzodiazepine dependence and harmful use		
Cases	۰,۱۸۴	Extrapolation by Australian mental health experts
d. Cannabis dependence and harmful use		
Cases	۰,۱۱۳	Extrapolation by Australian mental health experts
e. Other drug dependence and harmful use		
Stimulant dependence and harmful use	۰,۱۱۰	Dutch weight for problem drinking
Other drug dependence	۰,۱۱۳	Dutch weight for cannabis dependence
Analgesic nephropathy	۰,۲۹۰	Dutch weight for diabetic nephropathy
۲. Schizophrenia		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Cases	۰.۴۳۴	Composite GBD weight—psychosis (۳۰٪), treated
۳. Affective disorders		
a. Major depression		
Dysthymia cases	۰.۱۴۰	Dutch weight for mild depression
Major depressive episode—mild	۰.۱۴۰	Dutch weight
Major depressive episode—moderate	۰.۳۵۰	Dutch weight
Major depressive episode—severe	۰.۷۶۰	Dutch weight
b. Bipolar affective disorder		
Cases	۰.۱۷۶	Composite Dutch weight - mild depression (۵۰٪) non episodes; ۲۵٪ moderate depression, ۲۵٪ local extrapolated weight for episodic manic phase
۴. Anxiety disorders		
a. Panic disorder		
Mild to moderate panic disorder	۰.۱۶۰	Dutch weight
Severe panic disorder	۰.۶۹۰	Dutch weight
b. Agoraphobia		
Mild to moderate agoraphobia	۰.۱۱۰	Dutch weight
Severe agoraphobia	۰.۵۵۰	Dutch weight
c. Social phobia		
Mild to moderate social phobia	۰.۱۷۰	Dutch weight
Severe social phobia	۰.۵۹۰	Dutch weight
d. Generalized anxiety disorder (GAD)		
Mild to moderate GAD	۰.۱۷۰	Dutch weight
Severe GAD	۰.۶۰۰	Dutch weight
e. Obsessive-compulsive disorder (OCD)		
Mild to moderate OCD	۰.۱۷۰	Dutch weight
Severe OCD	۰.۶۰۰	Dutch weight
f. Post-traumatic stress disorder (PTSD)		
Mild to moderate PTSD	۰.۱۳۰	Dutch weight
Severe PTSD	۰.۵۱۰	Dutch weight
g. separation anxiety disorder		
Mild to moderate separation anxiety disorder	۰.۱۱۰	Dutch weight for mild to moderate agoraphobia
Severe separation anxiety disorder	۰.۵۵۰	Dutch weight for severe agoraphobia
۵. Borderline personality disorder		
Symptomatic cases	۰.۵۴۰	Extrapolation by Australian mental health experts
۶. Eating disorders		
a. Anorexia nervosa		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Cases	۰,۲۸۰	Dutch weight
b. Bulimia nervosa		
Cases	۰,۲۸۰	Dutch weight
۷. Childhood conditions		
a. Attention-deficit hyperactivity disorder		
Mild	۰,۰۲۰	Dutch weight.
Moderate to severe	۰,۱۵۰	Dutch weight.
b. Autism and Asperger's syndrome		
Autism cases	۰,۵۵۰	Dutch weight
Asperger's syndrome cases	۰,۲۵۰	Average of Dutch weights for moderate/severe ADHD and for autism
۸. Mental retardation (no defined aetiology)		
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight
Profound intellectual disability	۰,۷۶۰	Dutch weight
K. Nervous system and sense organ disorder		
۱. Dementia		
Mild	۰,۲۷۰	Dutch weight
Moderate	۰,۶۳۰	Dutch weight
Severe	۰,۹۴۰	Dutch weight
۲. Epilepsy		
Epilepsy	۰,۱۱۰	Dutch weight
۳. Parkinson's disease		
Initial stage	۰,۴۸۰	Dutch weight
Intermediate stage	۰,۷۹۰	Dutch weight
End-stage	۰,۹۲۰	Dutch weight
۴. Multiple sclerosis		
Relapsing-remitting phase	۰,۳۳۰	Dutch weight
Progressive phase	۰,۶۷۰	Dutch weight
Progressive from onset	۰,۶۷۰	Dutch weight
۵. Motor neuron disease		
Cases	۰,۶۷۰	Dutch weight for progressive phase of multiple sclerosis.
۶. Huntington's chorea		
Initial stage	۰,۴۸۰	Dutch weight for initial stage Parkinson's disease
Intermediate stage	۰,۷۹۰	Dutch weight for intermediate stage Parkinson's disease
End-stage	۰,۹۲۰	Dutch weight for end-stage Parkinson's disease
۷. Muscular dystrophy		

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Initial stage	۰,۴۸۰	Dutch weight for initial stage Parkinson's disease
Paraplegia	۰,۵۷۰	Dutch weight
Quadriplegia	۰,۸۴۰	Dutch weight
Λ. Sense organ disorders		
a. Glaucoma		
Cases	۰,۰۰۰	GBD and Dutch weights
Mild vision loss	۰,۰۲۰	Dutch weight
Moderate vision loss	۰,۱۷۰	Dutch weight
Severe vision loss	۰,۴۳۰	Dutch weight
b. Cataracts		
Cases	۰,۰۰۰	GBD and Dutch weights
Mild vision loss	۰,۰۲۰	Dutch weight
Moderate vision loss	۰,۱۷۰	Dutch weight
Severe vision loss	۰,۴۳۰	Dutch weight
c. Age-related vision disorders		
Mild vision loss	۰,۰۲۰	Dutch weight
Moderate vision loss	۰,۱۷۰	Dutch weight
Severe vision loss	۰,۴۳۰	Dutch weight
d. Adult-onset hearing loss		
Mild hearing loss (۲۵-۳۴ dBHTL)	۰,۰۲۰	One half of Dutch weight for mild hearing loss
Mild hearing loss (۳۵-۴۴ dBHTL)	۰,۰۴۰	Dutch weight
Moderate hearing loss	۰,۱۲۰	Dutch weight
Severe hearing loss	۰,۳۷۰	Dutch weight
L. Cardiovascular disease		
۱. Rheumatic heart disease		
Rheumatic fever	۰,۰۴۷	Regression weight for influenza
Rheumatic heart disease		
Untreated	۰,۳۲۳	GBD weight
Treated	۰,۱۷۱	GBD weight
۲. Ischaemic heart disease		
Angina pectoris	۰,۱۷۸	Dutch weight
Acute myocardial infarction	۰,۳۹۵	GBD (treated) age-specific weights (average shown here)
Heart failure	۰,۳۵۳	Dutch weight
۳. Stroke		
First- ever stroke with full recovery	۰,۰۰۰	
Mild permanent impairments	۰,۳۶۰	Dutch weight
Moderate permanent impairments	۰,۶۳۰	Dutch weight
Severe permanent impairments	۰,۹۲۰	Dutch weight
۴. Inflammatory heart disease		
Cardiomyopathy cases	۰,۳۵۳	Dutch weight for heart failure
Endocarditis cases	۰,۳۵۳	Dutch weight for heart failure
Myocarditis cases	۰,۳۵۳	Dutch weight for heart failure

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Pericarditis cases	۰,۳۵۳	Dutch weight for heart failure
۵. Hypertensive heart disease		
Cases	۰,۳۵۲	Based on Dutch weight for heart failure
۶. Non-rheumatic valvular disease		
cases	۰,۰۶۰	Dutch weight for mild heart failure
۷. Aortic aneurysm		
Cases	۰,۴۳۰	Dutch weight for early colorectal cancer
۸. Peripheral arterial disease		
Cases	۰,۲۴۸	Estimated using EQ-۵D+ regression model
Amputation	۰,۲۰۹	GBD weight
M. Chronic respiratory disease		
۱. Chronic obstructive pulmonary disease		
Mild to moderate COPD	۰,۱۷۰	Dutch weight
Severe COPD	۰,۵۳۰	Dutch weight
۲. Asthma		
Mild asthma	۰,۰۳۰	Dutch weight
Severe asthma	۰,۲۳۰	Estimated using EQ-۵D+ regression model and
		Australian data on severity distribution of disability
۳. Other chronic respiratory diseases	۰,۱۶۴	Provisional weight—average weight for COPD
N. Diseases of the digestive system		
۱. Peptic ulcer disease	۰,۰۶۶	Dutch weight
۲. Cirrhosis of the liver	۰,۳۳۹	GBD weight
۳. Appendicitis	۰,۴۶۳	GBD weight
۴. Intestinal obstruction		
Cases	۰,۴۶۳	Dutch weight for appendicitis
Stoma closed	۰,۲۱۱	Estimated using EQ-۵D+ regression model
Stoma continuing	۰,۲۱۱	Estimated using EQ-۵D+ regression model
۵. Diverticulitis		
Cases	۰,۴۰۰	Dutch weight for inflammatory bowel disease
		—active exacerbation
Stoma closed	۰,۲۱۱	Estimated using EQ-۵D+ regression model
Stoma continuing	۰,۲۱۱	Estimated using EQ-۵D+ regression model
۶. Gall bladder and bile duct disease		
Cases	۰,۳۴۹	Estimated using EQ-۵D+ regression model
۷. Pancreatitis		
Cases	۰,۳۴۹	Estimated using EQ-۵D+ regression model
۸. Inflammatory bowel disease		
Crohn's disease	۰,۲۲۴	Dutch weight
Ulcerative colitis	۰,۲۲۴	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Stoma closed	۰,۲۱۱	Estimated using EQ-۵D+ regression model
Stoma continuing	۰,۲۱۱	Estimated using EQ-۵D+ regression model
۱. Vascular insufficiency of intestine		
Cases	۰,۴۰۰	Dutch weight for inflammatory bowel disease—active
		exacerbation
Stoma closed	۰,۲۱۱	Estimated using EQ-۵D+ regression model
Stoma continuing	۰,۲۱۱	Estimated using EQ-۵D+ regression model
O. Genitourinary diseases		
۱. Nephritis and nephrosis		
End-stage renal failure with dialysis	۰,۲۹۰	Dutch weight for diabetic nephropathy
End-stage renal failure with transplant	۰,۲۹۰	Dutch weight for diabetic nephropathy
Transplanted patient	۰,۱۱۰	GBD weight for treated renal failure, Dutch weight for
		uncertain prognosis
Untreated end-stage renal failure	۰,۱۰۴	GBD weight
۲. Benign prostatic hypertrophy		
Symptomatic case	۰,۰۳۸	GBD weight
Prostatectomy	۰,۳۴۹	Estimated using EQ-۵D+ regression model
Urethral stricture	۰,۱۵۱	GBD weight
Impotence	۰,۱۹۵	GBD weight
Severe urinary incontinence	۰,۱۵۷	Estimated using EQ-۵D+ regression model
۳. Urinary incontinence		
Occasional urine leakage	۰,۰۰۰	No weight for occasional urine leakage
Moderate incontinence	۰,۰۲۵	GBD weight for stress incontinence (۰,۰۲۳ for ♀+)
Severe incontinence	۰,۱۵۷	Estimated using EQ-۵D+ regression model
۴. Other genitourinary diseases		
Menstrual disorders	۰,۰۲۳	Estimated from EQ-۵D+ regression model
Hysterectomy	۰,۳۴۹	Estimated from EQ-۵D+ regression model
Reproductive disability following hysterectomy		
for menorrhagia	۰,۱۸۰	Estimated from EQ-۵D+ regression model
for genital prolapse	۰,۱۸۰	Estimated from EQ-۵D+ regression model
for endometriosis	۰,۱۸۰	Estimated from EQ-۵D+ regression model
Other short-term reproductive disability	۰,۱۸۰	GBD weight
Other long-term reproductive disability	۰,۱۸۰	GBD weight
P. Skin diseases		
۱. Eczema	۰,۰۵۶	Estimated from EQ-۵D+ regression model
۲. Other skin diseases	۰,۰۵۶	Estimated from EQ-۵D+ regression model
Q. Musculoskeletal diseases		
۱. Rheumatoid arthritis		
Mild	۰,۲۱۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Moderate	۰,۳۷۰	Dutch weight
Severe	۰,۹۴۰	Dutch weight
۲. Osteoarthritis		
Grade ۲ (radiological) hip or knee (asympt.)	۰,۰۱۰	Dutch weight
Grade ۲ symptomatic	۰,۱۴۰	Dutch weight
Grade ۳-۴ (radiological) hip or knee (asympt.)	۰,۱۴۰	Dutch weight
Grade ۳-۴ symptomatic	۰,۴۲۰	Dutch weight
۳. Chronic back pain		
Episodes	۰,۰۶۰	Dutch weight
۴. Slipped disc		
Episodes	۰,۰۶۰	Dutch weight for back problems
Excision or destruction of disc	۰,۰۶۰	Dutch weight for back problems
Chronic pain	۰,۱۲۵	Estimated using EQ-۵D+ regression model
۵. Occupational overuse syndrome		
Mild handicap or disability	۰,۰۵۶	Estimated using EQ-۵D+ regression model
Moderate handicap	۰,۲۹۳	Estimated using EQ-۵D+ regression model
Severe or profound handicap	۰,۵۱۶	Estimated using EQ-۵D+ regression model
۶. Osteoporosis		
Diagnosed cases	۰,۰۰۹	Estimated using EQ-۵D+ regression model
۷. Other musculoskeletal disorders		
Recent non-chronic episodes	۰,۰۶۰	Dutch weight for low back pain
Chronic conditions	۰,۰۶۰	Dutch weight for low back pain
R. Congenital anomalies		
۱. Anencephaly		
Liveborn cases	۱,۰۰۰	
۲. Spina bifida		
Low-level spina bifida aperta	۰,۱۶۰	Dutch weight
Medium-level spina bifida aperta	۰,۵۰۰	Dutch weight
High-level spina bifida aperta	۰,۶۸۰	Dutch weight
۳. Congenital heart disease		
Surgically treated congenital atrial or ventricular septal defect	۰,۰۳۰	Dutch weight
Child/adolescent in permanent stage after surgical treatment for Fallot's tetralogy	۰,۲۰۰	Dutch weight
or transposition of great arteries		
Young adult in permanent stage after surgical treatment for Fallot's tetralogy or	۰,۱۱۰	Dutch weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
transposition of great arteries		
Child/adolescent in permanent stage after	۰,۰۲۰	Dutch weight
surgical treatment for pulmonary stenosis		
Young adult in permanent stage after surgical	۰,۱۶۰	Dutch weight
treatment for pulmonary stenosis		
Complex not curatively operable congenital heart disease	۰,۷۲۰	Dutch weight
۴. Cleft lip and/or palate		
Cleft palate—untreated	۰,۲۳۱	GBD weight
Cleft palate—treated	۰,۰۱۵	GBD weight
Cleft lip—untreated	۰,۰۹۸	GBD weight
Cleft lip—treated	۰,۰۱۶	GBD weight
۵. Digestive system malformations		
a. Anorectal atresia		
Cases	۰,۸۵۰	GBD weight for anorectal atresia
Longterm disability	۰,۰۳۷	GBD weight for symptomatic urethritis
b. Oesophageal atresia		
Cases	۰,۸۵۰	GBD weight for anorectal atresia
Longterm disability	۰,۰۳۷	GBD weight for symptomatic urethritis
c. Other digestive system malformations		
Small intestine atresia	۰,۸۵۰	GBD weight for digestive system atresias
Other	۰,۸۵۰	GBD weight for digestive system atresias
۶. Urogenital tract malformations		
a. Renal agenesis		
Bilateral renal agenesis or dysgenesis	۰,۸۵۰	GBD weight for renal agenesis
Unilateral renal agenesis or dysgenesis	۰,۰۳۷	GBD weight for symptomatic urethritis
End-stage renal failure	۰,۲۹۴	Dutch weight
b. Other urogenital tract malformations		
Hypospadias	۰,۰۰۰	Assumed negligible ongoing disability
Cystic kidney disease	۰,۰۳۷	GBD weight for acute urethritis
Obstructive defects of renal pelvis and ureter	۰,۰۳۷	GBD weight for renal diseases
Other urinary tract malformations	۰,۲۹۰	Dutch weight for renal failure
۷. Abdominal wall defect		
Cases	۰,۸۵۰	GBD weight for abdominal wall defect
Long-term disability	۰,۲۰۰	Dutch weight for permanent stage treated CVD

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
		malformation
۸. Down syndrome		
Child aged ۰-۹ with other malformations	۰,۶۹۰	Dutch weight
Child aged ۰-۹ without other malformations	۰,۵۱۰	Dutch weight
Person aged ۱۰-۲۹ years	۰,۳۵۰	Dutch weight
Adult ۴۰ years of age and over	۰,۶۵۰	Dutch weight
۹. Other chromosomal conditions		
Mild intellectual disability	۰,۲۹۰	Dutch weight
Moderate intellectual disability	۰,۴۳۰	Dutch weight
Severe intellectual disability	۰,۸۲۰	Dutch weight
Profound intellectual disability	۰,۷۶۰	Dutch weight
S. Oral health		
۱. Dental caries		
Episode resulting in filling	۰,۰۰۵	Dutch weight
Episode resulting in tooth loss	۰,۰۱۴	Estimated using EQ-۵D+ regression model
۲. Periodontal disease		
Gingivitis	۰,۰۰۰	Dutch weight
Pockets ۳ mm or more deep	۰,۰۰۱	Dutch weight
۳. Edentulism		
Cases	۰,۰۰۴	Estimated using EQ-۵D+ regression model
V. Ill-defined conditions		
۱. Sudden infant death syndrome	۰,۰۰۰	
۲. Chronic fatigue syndrome		
Mild handicap	۰,۱۳۷	Estimated using EQ-۵D+ regression model
Moderate handicap	۰,۴۴۹	Estimated using EQ-۵D+ regression model
Severe or profound handicap	۰,۷۶۰	Estimated using EQ-۵D+ regression model
III. Injuries - type of injury sequelae		
۱. Fractures		
Skull—short-term	۰,۴۳۱	GBD weight
Skull—long-term	۰,۳۵۰	GBD weights (۰,۴۰۴ for ages ۳۵+)
Face bones	۰,۲۲۳	GBD weight
Vertebral column	۰,۲۶۶	GBD weight
Rib or sternum	۰,۱۹۹	GBD weight
Pelvis	۰,۲۴۷	GBD weight
Clavicle, scapula or humerus	۰,۱۵۳	GBD weight
Radius or ulna	۰,۱۸۰	GBD weight
Hand bones	۰,۱۰۰	GBD weight
Femur—short-term	۰,۳۷۲	GBD weight
Femur—long-term	۰,۲۷۲	GBD weight
Patella, tibia or fibula	۰,۲۷۱	GBD weight
Ankle	۰,۱۹۶	GBD weight

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
Foot bones	۰,۰۷۷	GBD weight
۲. Injured spinal cord	۰,۷۲۵	GBD weight
۳. Dislocations		
Shoulder, elbow or hip	۰,۰۷۴	GBD weight
Other dislocation	۰,۰۷۴	GBD weight for shoulder, elbow or hip dislocation
۴. Sprains	۰,۰۶۴	GBD weight
۵. Intracranial injuries		
Short-term	۰,۳۵۹	GBD weight
Long-term	۰,۳۵۰	GBD weight
۶. Internal injuries	۰,۲۰۸	GBD weight
۷. Open wound	۰,۱۰۸	GBD weight
۸. Injury to eyes		
Short-term	۰,۱۰۸	GBD weight for open wound
Long-term	۰,۲۹۸	GBD weight (۰,۳۰۱ for ages ۰-۱۴)
۹. Amputations		
Thumb	۰,۱۶۵	GBD weight
Finger	۰,۱۰۲	GBD weight
Arm	۰,۲۵۷	GBD weight
Toe	۰,۱۰۲	GBD weight
Foot	۰,۳۰۰	GBD weight
Leg	۰,۳۰۰	GBD weight
۱۰. Crushing	۰,۲۱۸	GBD weight
۱۱. Burns		
Less than ۲۰٪ —short-term	۰,۱۵۸	GBD weight
Less than ۲۰٪ —long-term	۰,۰۰۱	GBD weight
۲۰ to ۶۰٪ —short-term	۰,۴۴۱	GBD weight
۲۰ to ۶۰٪ —long-term	۰,۲۵۵	GBD weight
Greater than ۶۰٪ —short-term	۰,۴۴۱	GBD weight
Greater than ۶۰٪ —long-term	۰,۲۵۵	GBD weight
۱۲. Injured nerves		
Short-term	۰,۰۶۴	GBD weight
Long-term	۰,۰۶۴	GBD weight
۱۳. Poisoning	۰,۶۰۸	GBD weight (۰,۶۱۱ for ages ۰-۱۴)
T. Unintentional injuries		
۱. Road traffic accidents	۰,۱۴۹	Average weight across all injury sequelae
۲. Other transport accidents	۰,۱۴۲	Average weight across all injury sequelae
۳. Poisoning	۰,۵۹۳	Average weight across all injury sequelae
۴. Falls	۰,۱۴۱	Average weight across all injury sequelae
۵. Fires/burns/scalds	۰,۱۷۲	Average weight across all injury sequelae
۶. Drowning	۰,۲۱۱	Average weight across all injury sequelae
۷. Sports injuries	۰,۱۱۸	Average weight across all injury sequelae
۸. Natural and environmental factors	۰,۱۵۸	Average weight across all injury sequelae

جدول اوزان ناتوانی به کار رفته در مطالعه Dutch

Disease category, subcategory, or sequelae	Disability weight	Comments
۹. Machinery accidents	۰,۱۱۲	Average weight across all injury sequelae
۱۰. Suffocation and foreign bodies	۰,۱۶۲	Average weight across all injury sequelae
۱۱. Adverse effects of medical treatment	۰,۴۳۳	Average weight across all injury sequelae
a. Surgical and medical misadventure	۰,۳۸	Average weight across all injury sequelae
b. Adverse effects of drugs in therapeutic use	۰,۴۵۳	Average weight across all injury sequelae
۱۲. Other unintentional injuries	۰,۱۱۲	Average weight across all injury sequelae
a. Cutting and piercing accidents	۰,۱۰	Average weight across all injury sequelae
b. Striking and crushing accidents	۰,۱۵۷	Average weight across all injury sequelae
c. Other other unintentional injuries	۰,۱۱	Average weight across all injury sequelae
U. Intentional injuries		
۱. Suicide and self-inflicted injuries	۰,۴۴۷	Average weight across all injury sequelae
۲. Homicide and violence	۰,۱۶۶	Average weight across all injury sequelae
۳. Legal intervention and war	۰,۱۲	Average weight across all injury sequelae

جدول شماره ۳: لیست بیماری‌هایی که اوزان ناتوانی مربوط به آنها در لیست مطالعه GBD و Dutch وجود

نداشت

وزن ناتوانی	ICD code	بیماری	وزن ناتوانی	ICD code	بیماری
۰/۴۶۳	K۴۰	هرنی اینگوینال	۰/۰۶۷	A۶۰	هریس ژنیتال
۰/۰۶	K۹۰	سلیاک	۰/۰۶۷	A۶۳,۰	زگیل تناسلی
۰/۰۳	L۰۵	کیست پیلونیدال	۰/۰۶۷	A۵۹	تریکومونیاژیس
۰/۰۵۶	N۲۰,۰,N۲۰,۱	سنگ کلیه و حالب	۰/۰۶۷	N۷۲	اورتریت غیر گنوکوکی
۰/۰۳	N۴۱,۱	پروستاتیت مزمن	۰/۲۳	A۲۳	بروسلوز
۰/۰۶۳	Q۶۱,۲	کلیه پلی کیستیک بالغین	۰/۱	B۶۷	کیست هیداتید
۰/۰۵۱	Q۶۲,۷	ریفلاکس وزیکو اورترال مادرزادی	۰/۲	A۰۱	تیفوئید
۰/۱	N۳۰,۰	سیستیت حاد	۰/۰۴۶	A۲۲	سیاه زخم
۰/۰۳۳	Q۵۴	هایپوسپادیا	۰/۳ و ۰/۱۳	B۲۶	اوریون و اراکیت اوربونی
۰/۱	D۲۴	فیبرو آدنوما پستان	۰/۱۳	B۰۱,۹	آبله مرغان
۰/۱	D۲۴	بیماری فیبروکیستیک پستان	۰/۶۱۳	A۹۸,۰	CCHF
۰/۰۹	D۲۵	لیومیوم رحم	۰/۰۸۶	A۰۶	آمییبازیس
۰/۱۸	O۰۱	حاملگی مولار	۰/۰۰۱	B۷۷	آسکاریازیس
۰/۱	O۴۴	جفت سر راهی (موارد بدون خونریزی شدید)	۰/۰۰۸	A۰۷	ژiardیازیس
۰/۵	O۴۴	جفت سر راهی با خونریزی شدید	۰/۰۰۱	B۷۱,۰	هایمنولیبیازیس
۰/۲	O۲۳	آبسه پستان/ماستیت	۰/۰۱	B۸۰	کرم سنجاقی (انتروبیازیس)
۰/۲	O۲۱	استفراغ شدید در حاملگی	۰/۰۰۲	B۶۸	تینیازیس
۰/۱	N۹۴,۳	سندرم قبل از قاعدگی	۰/۰۰۱	B۷۹	تریکوریازیس
۰/۶۱۳	O۸۵	سپسیس پس از زایمان	۰/۰۰۱	B۸۱,۲	تریکواسترانژیلوئیدوزیس
۰/۱	O۲۰,۰	تهدید به سقط در حاملگی	۰/۱۰۸	E۵۵,۰	ریکتز
۰/۱	N۸۰	اندومتریوز	۰/۶۵۰ و ۰/۳۵۰	E۰۳,۰,E۰۳,۱	هایپوتیروئیدی مادرزادی
۰/۰۴	E۲۸	تخمدان پلی کیستیک	۰/۶۵۰ و ۰/۳۵۰	E۷۰,۰	فنیل کتون اوریا
۰/۱۸	O۲۳,۰	پیلو نفریت حاملگی	۰/۱۵۲	D۶۹,۳	ITP
۰/۱	N۸۱	پرولاپس ژنیتال در زنان	۰/۰۱۱	D۵۵,۰	G۶PD
۰/۰۹	N۹۲,۰	منوراژی	۰/۱۵۲	H۱۰	کنژنکتیویت
۰/۱	N۹۵	گر گرفتگی پس از یائسگی	۰/۰۳	H۵۲	اختلالات انکساری
۰/۰۳	N۹۵,۲	آتروفی واژینال به دنبال یائسگی	۰/۰۶	I۳۴,۱	پرولاپس دریچه میترال
۰/۴۶۳	O۰۰	حاملگی خارج از رحمی	۰/۲۵	Q۴۳,۱	هیرشپرونک
۰/۱۸ و ۰/۰۰۹	O۰۳	سقط خود به خود	۰/۱۳۵	M ۵۴,۵	کمر درد با سیاتیک
۰/۱		حاملگی	۰/۰۴	M ۵۴,۵	کمر درد بدون سیاتیک
۰/۳ و ۰/۲	O۸۰, O۸۱, O۸۳	زایمان طبیعی شکم اول، دوم و سوم و مرده زایی	۰/۱۶	M ۷۵,۰	فروزن شولدر
۰/۳	O۸۴-O۸۲	زایمان از طریق سزارین و مرده زایی	۰/۰۶۵	M ۷۵,۱	سندرم روتیتور کاف
۰/۰۱۸	L۷۰,۰	آکنه ولگاریس	۰/۰۳۲۵	M ۷۷,۰	ایبى کندیلیت داخلی آرنج
۰/۰۱	L۶۳	آلوپسی آراتا	۰/۰۳۷۵	M ۷۷,۱	ایبى کندیلیت خارجی آرنج
۰/۰۵۶	L۲۰	درمانیت اتوپیک	۰/۱ و ۰/۰۶۷۵	G ۵۶	سندرم کارپال تونل

وزن ناتوانی	ICD code	بیماری	وزن ناتوانی	ICD code	بیماری
۰/۰۱	L۲۳-L۲۵	درماتیت تماسی	۰/۲	M۳۲	لوپوس سیستمیک
۰/۰۵	L۴۳	لیکن پلان	۰/۰۴	M۱۹	آرتروز گردن
۰/۲	L۱۰	پمفیگوس	۰/۰۵	G۴۴,۲	سر درد تنشی
۰/۰۸	L۴۰	پسوریازیس	۰/۰۱	K۵۹	یبوست
۰/۰۱	L۲۱	درماتیت سبوره	۰/۱	K۳۰	سوء هاضمه
۰/۰۲	L۸۰	ویتیلیگو	۰/۱	K۲۱	ریفلاکس گاسترو ازوفاجیال